



SKF FYT 1.7/16 FM bearing units

Bearing No. FYT 1.7/16 FM

Bore Diameter	36,513 mm
d	36,513 mm
Da	156 mm
s1	50,4 mm
A1	34,5 mm
B1	38,9 mm
G	29,4 mm
H	130,2 mm
J	96 mm
L	14,3 mm
N	12 mm
T	25,5 mm
A2	13 mm
Weight	1,3 Kg
Basic dynamic load rating (C)	15,3 kN
Basic static load rating (C0)	0,655 kN
Category	Flange Block Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.32
Product Group	M06110
Number of Mounting Holes	2
Mounting Method	Eccentric Collar
Housing Style	2 Bolt Flange Block
Rolling Element	Ball Bearing

FYT 1.7/16 FM Bearing 2D drawings and 3D CAD models



SNR BEARINGS PRODUCTION EXPORT CO., LTD

Housing Material	Cast Iron
Expansion / Non-expansion	Non-expansion
Mounting Bolts	1/2 Inch
Relubricatable	Yes
Insert Part Number	YET 207-107
Seals	M Seal
Housing Configuration	1 Piece Solid
Pilot Configuration	No Pilot
Inch - Metric	Inch
Long Description	2 Bolt Flange Block; 1-7/16" Bore; 5.1" Bolt Circle; 5-1/8" Bolt Spacing; 1 Piece Solid; Eccentric Collar Mount; Cast Iron; Ball Bearing; 1-17/32" Length Thru Bore; Relubricatable;
Other Features	Single Row Standard Duty Narrow Inner Race Open End Y Bearing
Category	Flange Block
UNSPSC	31171501
Harmonized Tariff Code	8483.20.40.40
Noun	Bearing
Keyword String	Flanged
Manufacturer URL	http://www.skf.com
Manufacturer Item Number	FYT 1.7/16 FM
Weight / LBS	2.9
Bore	1.438 Inch 36.525 Millimeter
Cartridge Pilot Depth	0 Inch 0 Millimeter
Nominal Bolt Circle Diameter Round	5.1 Inch 130 Millimeter
Length Thru Bore	1.531 Inch 38.9 Millimeter
Bolt Spacing	5.125 Inch 130.18 Millimeter



SNR BEARINGS PRODUCTION EXPORT CO., LTD

Cartridge Pilot Diameter

0 Inch | 0 Millimeter